


Chesterfield Fire & EMS PO Box 40, CHESTERFIELD, VA 23832 Phone: 804.748.1360 Fax:

A 04100 V			NFIRS-1 Basic
B Location Type X Street address Intersection In front of Rear of Adjacent to Directions US National Grid	Check this box to Indicate that the address for Fire Module in Section B, "Alternative Location In The Module in Section B, "Alternative Location In The Module in Section B, "Alternative Location In The Module In The Indicate In The Module In The Indicate	n Spedification," Use only for wildland fires. ERIE Highway	Census Tract CT Street Type Suffix Zip Code
C Incident Type 111	Check boxes if dates are the same as Alarm Date.	Month	12:23:59 Special Study ID# Special Study Value
F Actions Taken 11 Extinguishment by fire service personnel Primary Action Taken (1) 33 Provide advanced life support (ALS) Additional Action Taken (2) 12 Salvage & overhaul Additional Action Taken (3)		G1 Resources X Check this box and test this block if an Apparatus or Personnel Module is used. Apparatus Suppression 19 36 EMS 4 8 Other 3 2 Check box if resources counts include aid received resources.	Contents \$ 176,100 Contents \$ 176,100 Contents \$ 176,100 Contents \$ 80,000 Contents \$ 176,100 Contents \$ 80,000 Contents \$ 80,000
Completed Modules X Fire-2 X Structure Fire-3 X Civilian Fire Cas4 X Fire Service Cas5 EMS-6 HazMat-7 WildLand Fire-8 X Apparatus-9 X Personnel-10 Arson-11	H1 Casualties Fire 0 1 1 Civilian 0 1 1 H2 Detector Required for confined fires. Detector alerted occupants 2 × Detector did not alert occupants U Unknown	H3 Hazardous Materials Release 0 Special HazMat actions required or si 1 Natural gas: slow leak, no evac, or Ha 2 Propane gas - Less than a 21 lb, tank 3 Gasoline - vehicle fuel tank or portable 4 Kerosene - fuel-burning equipment/pc 5 Diesel fuel/fuel oil - vehicle fuel tank/p 6 Household/office solvent or chemical 7 Motor oil - from engine or portable con 8 Paint - spills less than 55 gallons None	azMat actions 10 Assembly use 20 Educational use e container 33 Medical use ortable storage 40 Residential use ortable 51 Row of stores spill 53 Enclosed mail

J Property Use	341	Clinic, clinic-type infirmary	539	Household goods, sales, repairs
Structures	342	Poctor, dentist or oral surgeon office	ce 571	Service station, gas station
131 Church, mosque, synagogue, ter	mple, chapel 361	Jail, prison (not juvenile)	579	Motor vehicle or boat sales, services, repair
161 Restaurant or cafeteria	419	y 1 or 2 family dwelling	599	Business office
162 Bar or nightclub		^	615	Electric-generating plant
213 Elementary school, including kind	dergarten 429			•
		Boarding/rooming house, resident		Laboratory or science laboratory
215 High school/junior high school/mi	445	Hotel/motel, commercial	700	Manufacturing, processing
241 Adult education center, college of	lassroom 459	Residential board and care	819	Livestock, poultry storage
311 24-hour care Nursing homes, 4 o	or more persons 464	Barracks, dormitory	882	Parking garage, general vehicle
331 Hospital - medical or psychiatric	519		store 891	Warehouse
		Tool and poronage sales (g)		
Outside	936	Vacant lot	981	Construction site
124 Playground	938	Graded and cared-for plots of land	984	Industrial plant yard - area
655 Crops or orchard	946	Lake, river, stream		
669 Forest, timberland, woodland	951			ok up and enter a Property Use 419
				operty Use code and scription only if you Code
807 Outside material storage area	960			ove NOT checked a operty Use Box
919 Dump, sanitary landfill	961	Highway or divided highway	Pi	Property Use Description
931 Open land or field	962	Residential street, road or residen	tial driveway	
K1 Person/Entity Involved				804 - 379 - 6432
Local Option		Business Name (if App	licable)	Area Code Phone Number
Check this box if same	Laurie		Underwood	11 1
address as incident Location (Section B)	Mr., Ms., Mrs. First Name		MI Last Name	Suffix
Then skip the three	11707	VALERIE		[[CT]
duplicate address lines		Street or Highway		Street Type Suffix
	Ī	Midlothian		
	Post Office Box	Apt /Suite/Room City		
	VA 23114 -			
	State Zip Code			
Manager Same as person invo	lived?	:(4)		804 - 379 - 6432
Then check this box	and skip the rest of this	Business Name (if Ap	Super to V	Area Code Phone Number
Local Option block		Business Name (1170)	10 10 10 10 10 10 10 10 10 10 10 10 10 1	A I
Check this box if same address as incident	Laurie		Underwood	
Location (Section B). Then skip the three	Mr., Ms., Mrs. First Name	LAN EDIE	MI Last Name	Suffix CT
	11707	VALERIE		1101 11
duplicate address lines				Shoot Tupo Culfin
auplicate address lines.	Number Prefix	Street or Highway		Street Type Suffix
auplicate address lines.		Midlothian		Street Type Suffix
auplicate address lines,	Post Office Box			Street Type Suffix
duplicate address lines,	Post Office Box VA 23114 -	Midlothian		Street Type Suffix
duplicate address lines,	Post Office Box	Midlothian		Street Type Suffix
Remarks	Post Office Box VA 23114 -	Midlothian		Street Type Suffix
	Post Office Box VA 23114 -	Midlothian		Street Type Suffix
Remarks Local Option BC03 - Dispatch – Units were 0	Post Office Box VA 23114 - State Zip Code	Apt/Sulte/Room City Cuty		
L Remarks Local Option BC03 - Dispatch – Units were of Response – While enroute to the	Post Office Box VA 23114 - State Zip Code	Apt/Sulte/Room City Fucture fire. orted there was a garage fire.	Additional comments re	eported an attached garage and everyone was
L Remarks Local Option BC03 - Dispatch – Units were of Response – While enroute to the out of the structure. Additional	Post Office Box VA 23114 - State Zip Code	Apt/Sulte/Room City Fucture fire. orted there was a garage fire. porting a large amount of sm	oke in the area. E20 repo	eported an attached garage and everyone was orted there was a column of smoke visible
L Remarks Local Option BC03 - Dispatch – Units were of Response – While enroute to the out of the structure. Additional from Lucks and Courthouse. B	Post Office Box VA 23114 - State Zip Code dispatched for reported stree incident comments reported callers in the area were recode confirmed this and meaning the confirmed th	Apt/Sulte/Room City ructure fire. orted there was a garage fire. porting a large amount of smarked this a working incident	oke in the area. E20 repo	
Remarks Local Option BC03 - Dispatch – Units were of Response – While enroute to the out of the structure. Additional from Lucks and Courthouse. Be about an occupant that had so	Post Office Box VA 23114 - State Zip Code dispatched for reported stree incident comments repeatlers in the area were re C03 confirmed this and me smoke inhalation but were street in the	ructure fire. orted there was a garage fire. porting a large amount of sm arked this a working incident	oke in the area. E20 repo while enroute, an additio	eported an attached garage and everyone was orted there was a column of smoke visible anal transport was added due to comments
Remarks Local Option BC03 - Dispatch – Units were of Response – While enroute to the out of the structure. Additional from Lucks and Courthouse. B about an occupant that had so Arrival – BC03 arrived at the same	Post Office Box VA 23114 - State Zip Code dispatched for reported stree incident comments reported callers in the area were recost confirmed this and memore smoke inhalation but varietime as E20. BC03 of	Apt/Sulte/Room City Tructure fire. Forted there was a garage fire. Porting a large amount of sm arked this a working incident was refusing rescue. Served a two story, wood fra	oke in the area. E20 repo while enroute, an addition me, single family dwellin	eported an attached garage and everyone was orted there was a column of smoke visible inal transport was added due to comments g with heavy fire coming from the garage on
Remarks Local Option BC03 - Dispatch – Units were of Response – While enroute to to out of the structure. Additional from Lucks and Courthouse. Brabout an occupant that had so Arrival – BC03 arrived at the state brayo side of the structure.	Post Office Box VA 23114 - State Zip Code dispatched for reported structure dispatched for reported structure callers in the area were recommented this and means the smoke inhalation but verse are time as E20, BC03 of BC03 dressed out and means time as E20, BC03 of BC03 dressed out and means time as E20, BC03 dressed out and means time as E	ructure fire. orted there was a garage fire. porting a large amount of smarked this a working incident was refusing rescue. oserved a two story, wood fra ade a lap of the structure. Dui	oke in the area. E20 repo while enroute, an addition me, single family dwellin ring the lap I observed a	eported an attached garage and everyone was orted there was a column of smoke visible and transport was added due to comments g with heavy fire coming from the garage on large volume of fire on the bravo side of the
L Remarks Local Option BC03 - Dispatch – Units were of Response – While enroute to the structure. Additional from Lucks and Courthouse. Be about an occupant that had so Arrival – BC03 arrived at the sat the bravo side of the structure. House coming from the garage	Post Office Box VA 23114 - State Zip Code dispatched for reported street he incident comments reported callers in the area were recost confirmed this and me smoke inhalation but varne time as E20, BC03 of BC03 dressed out and mand extending through the confirmed through the confirmed through the confirmed through the confirmed strength of the confirmed through	ructure fire. orted there was a garage fire. porting a large amount of smarked this a working incident was refusing rescue. served a two story, wood fra ade a lap of the structure. Dule or of the garage, there was	oke in the area. E20 repumbile enroute, an additione, single family dwelling the lap! observed a salso fire on the outside	eported an attached garage and everyone was orted there was a column of smoke visible anal transport was added due to comments g with heavy fire coming from the garage on large volume of fire on the bravo side of the e of the main house on the bravo wall. I started
L Remarks Local Option BC03 - Dispatch – Units were of Response – While enroute to the out of the structure. Additional from Lucks and Courthouse. Be about an occupant that had so the bravo side of the structure. House coming from the garage my lap to the delta side and ha	Post Office Box VA 23114 - State Zip Code dispatched for reported str he incident comments rep callers in the area were re C03 confirmed this and m me smoke inhalation but v ame time as E20, BC03 of BC03 dressed out and m and extending through th d a small amount of smok	ructure fire. orted there was a garage fire. porting a large amount of smarked this a working incident was refusing rescue. pserved a two story, wood fra ade a lap of the structure. Dule roof of the garage, there was e coming from a window on the structure of the garage.	oke in the area. E20 repowhile enroute, an additione, single family dwelling the lap! observed a salso fire on the outsidene second floor on the C	eported an attached garage and everyone was orted there was a column of smoke visible anal transport was added due to comments g with heavy fire coming from the garage on large volume of fire on the bravo side of the e of the main house on the bravo wall. I started tharlie side towards the delta side of the
Remarks Local Option BC03 - Dispatch – Units were to the structure of the structure of the structure. Additional from Lucks and Courthouse. Be about an occupant that had so the bravo side of the structure. House coming from the garage my lap to the delta side and ha house. I conferred with E20 an	dispatched for reported str he incident comments repcallers in the area were recost confirmed this and me smoke inhalation but vame time as E20, BC03 of BC03 dressed out and mand extending through the dassumed command. At	ructure fire. orted there was a garage fire. porting a large amount of smarked this a working incident was refusing rescue. pserved a two story, wood fra ade a lap of the structure. Dure roof of the garage, there was e coming from a window on this time E20 had a blitz fire of	oke in the area. E20 repowhile enroute, an additione, single family dwellining the lap I observed as also fire on the outsidene second floor on the Conthe ground operating of	eported an attached garage and everyone was orted there was a column of smoke visible anal transport was added due to comments g with heavy fire coming from the garage on large volume of fire on the bravo side of the e of the main house on the bravo wall. I started harlie side towards the delta side of the on the main body of fire in the garage. M2 was
Remarks Local Option BC03 - Dispatch – Units were of Response – While enroute to the out of the structure. Additional from Lucks and Courthouse. Be about an occupant that had so Arrival – BC03 arrived at the safe the brave side of the structure. House coming from the garage my lap to the delta side and han house. I conferred with E20 an assigned RIC. E24 arrived and	Post Office Box VA 23114 - State Zip Code dispatched for reported stree incident comments reported stree in the area were recommented in the smoke inhalation but varietime as E20, BC03 of BC03 dressed out and mand extending through the dassumed command. At were placed into service	ructure fire. orted there was a garage fire. porting a large amount of smarked this a working incident was refusing rescue. oserved a two story, wood fra ade a lap of the structure. Dure roof of the garage, there was coming from a window on this time E20 had a blitz fire con floor two. Per the occupan	oke in the area. E20 repowhile enroute, an additione, single family dwellining the lap I observed as also fire on the outsidene second floor on the Conthe ground operating of all occupants were out	eported an attached garage and everyone was orted there was a column of smoke visible anal transport was added due to comments g with heavy fire coming from the garage on large volume of fire on the bravo side of the e of the main house on the bravo wall. I started tharlie side towards the delta side of the on the main body of fire in the garage. M2 was of the structure at this time. E10 arrived and
Remarks Local Option BC03 - Dispatch – Units were of Response – While enroute to the structure. Additional from Lucks and Courthouse. Babout an occupant that had so Arrival – BC03 arrived at the structure. House coming from the garage my lap to the delta side and ha house. I conferred with E20 an assigned RIC, E24 arrived and was assigned to extinguish the	Dest Office Box VA 23114 State Zip Code dispatched for reported stree incident comments reported this and more smoke inhalation but varietime as E20, BC03 of BC03 dressed out and mand extending through the das small amount of smoke dassumed command. At were placed into service car fire on the driveway and extending through the dassumed command.	ructure fire. orted there was a garage fire. porting a large amount of sm arked this a working incident vas refusing rescue. pserved a two story, wood fra ade a lap of the structure. Dur e roof of the garage, there wa e coming from a window on the this time E20 had a bitz fire con floor two. Per the occupan t this time E20 crew took a lir	oke in the area. E20 repowhile enroute, an additioned, single family dwelling the lap I observed as a salso fire on the outside second floor on the Conthe outparting of tall occupants were out the to the Charlie side to e	eported an attached garage and everyone was orted there was a column of smoke visible anal transport was added due to comments g with heavy fire coming from the garage on large volume of fire on the bravo side of the e of the main house on the bravo wall. I started tharlie side towards the delta side of the con the main body of fire in the garage. M2 was of the structure at this time. E10 arrived and extinguish the fire on the rear of the garage.
Remarks Local Option BC03 - Dispatch – Units were of Response – While enroute to the out of the structure. Additional from Lucks and Courthouse. Be about an occupant that had so Arrival – BC03 arrived at the sate the brave side of the structure, house coming from the garage my lap to the delta side and ha house. I conferred with E20 an assigned RIC, E24 arrived and was assigned to extinguish the They were also reporting that the	Post Office Box VA 23114 - State Zip Code dispatched for reported structure dispatched dispatched for reported structure dispatched for reported struc	ructure fire. orted there was a garage fire. porting a large amount of smarked this a working incident was refusing rescue. osserved a two story, wood fra ade a lap of the structure. Dure roof of the garage, there was e coming from a window on this time E20 had a blitz fire con floor two. Per the occupant this time E20 crew took a lire the main house on floor one	oke in the area. E20 repowhile enroute, an additione, single family dwelling the lap! observed a salso fire on the outside second floor on the Conthe ground operating of the cocupants were outed to the Charlie side to 6. E24 was also reporting.	eported an attached garage and everyone was orted there was a column of smoke visible anal transport was added due to comments g with heavy fire coming from the garage on large volume of fire on the bravo side of the e of the main house on the bravo wall. I started that har it is in the main body of fire in the garage. M2 was of the structure at this time. E10 arrived and extinguish the fire on the rear of the garage. fire inside the main house on floor two. Truck
L Remarks Local Option BC03 - Dispatch – Units were of Response – While enroute to to out of the structure. Additional from Lucks and Courthouse. Be about an occupant that had so Arrival – BC03 arrived at the sate the bravo side of the structure. house coming from the garage my lap to the delta side and ha house. I conferred with E20 an assigned RIC, E24 arrived and was assigned to extinguish the They were also reporting that the Tarrived and were assigned in	dispatched for reported street in the area were record confirmed this and me smoke inhalation but varieties as E20, BC03 dressed out and mand extending through the dasmall amount of smoke dassumed command. At were placed into service car fire on the driveway a there was visible fire inside terior support on floor two	ructure fire. orted there was a garage fire. porting a large amount of smarked this a working incident was refusing rescue. served a two story, wood fra ade a lap of the structure. Dute roof of the garage, there was e coming from a window on this time E20 had a blitz fire con floor two. Per the occupant this time E20 crew took a line the main house on floor one and told to work on a search	oke in the area. E20 repowhile enroute, an addition me, single family dwelling the lap I observed a salso fire on the outsidene second floor on the Conthe ground operating of the Conthe Charlie side to the Charlie side to E24 was also reporting Crews were reported his	eported an attached garage and everyone was orted there was a column of smoke visible anal transport was added due to comments g with heavy fire coming from the garage on large volume of fire on the bravo side of the e of the main house on the bravo wall. I started harlie side towards the delta side of the on the main body of fire in the garage. M2 was of the structure at this time. E10 arrived and extinguish the fire on the rear of the garage. fire inside the main house on floor two. Truck igh heat and zero visibility on floor two and
L Remarks Local Option BC03 - Dispatch – Units were of Response – While enroute to to out of the structure. Additional from Lucks and Courthouse. Be about an occupant that had so Arrival – BC03 arrived at the sathe bravo side of the structure, house coming from the garage my lap to the delta side and ha house. I conferred with E20 an assigned RIC, E24 arrived and was assigned to extinguish the They were also reporting that 7 arrived and were assigned in high heat and moderate visibilities.	dispatched for reported strhe incident comments repcallers in the area were record confirmed this and me smoke inhalation but vame time as E20, BC03 of BC03 dressed out and mad extending through the dasmall amount of smok dassumed command. At were placed into service car fire on the driveway a herior support on floor two ty on floor one. E24 report	ructure fire. orted there was a garage fire. porting a large amount of smarked this a working incident was refusing rescue. pserved a two story, wood fra ade a lap of the structure. Dule roof of the garage, there was e coming from a window on this time E20 had a blitz fire con floor two. Per the occupant this time E20 crew took a lire the main house on floor one and told to work on a search ed that they were having difficent	oke in the area. E20 repowhile enroute, an addition me, single family dwelling the lap I observed a salso fire on the outside ne second floor on the Conthe ground operating of tall occupants were oute to the Charlie side to E24 was also reported his culty hitting the fire in the	eported an attached garage and everyone was orted there was a column of smoke visible anal transport was added due to comments g with heavy fire coming from the garage on large volume of fire on the bravo side of the e of the main house on the bravo wall. I started harlie side towards the delta side of the on the main body of fire in the garage. M2 was of the structure at this time. E10 arrived and extinguish the fire on the rear of the garage. fire inside the main house on floor two. Truck igh heat and zero visibility on floor two and e attack; crews on the outside E20 and M20
Remarks Local Option BC03 - Dispatch – Units were of Response – While enroute to out of the structure. Additional from Lucks and Courthouse. B about an occupant that had so Arrival – BC03 arrived at the sathe bravo side of the structure. house coming from the garage my lap to the delta side and ha house. I conferred with E20 an assigned RIC, E24 arrived and was assigned to extinguish the They were also reporting that to a represent the properties of the pro	dispatched for reported str he incident comments rep callers in the area were re C03 confirmed this and mme smoke inhalation but vame time as E20, BC03 of BC03 dressed out and mad extending through the dasmall amount of smok dassumed command. At were placed into service car fire on the driveway a here was visible fire inside terior support on floor two ty on floor one. E24 report the attic area of the main the content of t	ructure fire. orted there was a garage fire. porting a large amount of smarked this a working incident was refusing rescue. pserved a two story, wood fra ade a lap of the structure. Dule roof of the garage, there was e coming from a window on this time E20 had a blitz fire con floor two. Per the occupant this time E20 crew took a lire the main house on floor one and told to work on a search red that they were having difficults from the bravo end of the street	oke in the area. E20 repowhile enroute, an addition me, single family dwelling the lap I observed as also fire on the outside ne second floor on the Conthe ground operating of tall occupants were out the Charlie side to each was also reported his culty hitting the fire in the house. This was able	eported an attached garage and everyone was orted there was a column of smoke visible anal transport was added due to comments of with heavy fire coming from the garage on large volume of fire on the bravo side of the e of the main house on the bravo wall. I started harlie side towards the delta side of the on the main body of fire in the garage. M2 was of the structure at this time. E10 arrived and extinguish the fire on the rear of the garage. Fire inside the main house on floor two. Truck igh heat and zero visibility on floor two and eattack; crews on the outside E20 and M20 to attack the fire in the attic. E10 completed a
L Remarks Local Opilion BC03 - Dispatch – Units were of Response – While enroute to to out of the structure. Additional from Lucks and Courthouse. B about an occupant that had so Arrival – BC03 arrived at the sathe bravo side of the structure. house coming from the garage my lap to the delta side and ha house. I conferred with E20 an assigned RIC, E24 arrived and was assigned to extinguish the They were also reporting that to arrived and were assigned in high heat and moderate visibility began operating a handline to primary search on floor one an crew was rotated and T7 crew	dispatched for reported street in the area were record and extending through the assumed to assume time as E20, BC03 of BC03 dressed out and mand extending through the dassumed command. At were placed into service a car fire on the driveway a here was visible fire inside terior support on floor two by on floor one. E24 report the attic area of the main the dT7 completed a primary came out for air bottle exc	ructure fire. orted there was a garage fire. porting a large amount of sm arked this a working incident vas refusing rescue. pserved a two story, wood fra ade a lap of the structure. Due re roof of the garage, there wa e coming from a window on the this time E20 had a bitz fire of this time E20 crew took a lire the main house on floor one and told to work on a search ed that they were having diffi- nouse from the bravo end of to search on floor 2 with except thanges, T7 returned to floor	oke in the area. E20 repowhile enroute, an addition me, single family dwelling the lap! observed a salso fire on the outside the second floor on the Conthe ground operating of the coupants were out the Charlie side to earlie to the Charlie side to earlie to the Charlie side to earlie the charlie side to the reported his the house. This was able ton to the room above the wo. During this rotation!	eported an attached garage and everyone was orted there was a column of smoke visible anal transport was added due to comments g with heavy fire coming from the garage on large volume of fire on the bravo side of the e of the main house on the bravo wall. I started tharlie side towards the delta side of the conthe main body of fire in the garage. M2 was of the structure at this time. E10 arrived and extinguish the fire on the rear of the garage. fire inside the main house on floor two. Truck igh heat and zero visibility on floor two and e attack; crews on the outside E20 and M20 to attack the fire in the attic. E10 completed a le garage both of which were negative. E24 E24 officer became overheated and needed
L Remarks Local Option BC03 - Dispatch – Units were of Response – While enroute to the control out of the structure. Additional from Lucks and Courthouse. By about an occupant that had so the detailed of the structure. House coming from the garage my lap to the delta side and ha house. I conferred with E20 an assigned RIC, E24 arrived and was assigned to extinguish the They were also reporting that they were also reporting they were also reporting that they were also reporting that they were also reporting they were also	Post Office Box VA 23114 State Zip Code dispatched for reported stree incident comments reported stree in the area were recorded as the incident comments reported in the area were recorded as the incident comment in the area were recorded as the incident in the area were recorded as the incident in the area were recorded as the incident in the i	ructure fire. orted there was a garage fire. porting a large amount of smarked this a working incident was refusing rescue. poserved a two story, wood fra ade a lap of the structure. Dute roof of the garage, there was e coming from a window on the this time E20 had a blitz fire confloor two. Per the occupant this time E20 crew took a lire the main house on floor one and told to work on a search ed that they were having diffinouse from the bravo end of the search on floor 2 with except thanges, T7 returned to floor a victim in the A/D room on floor a victim in the vi	oke in the area. E20 repowhile enroute, an addition me, single family dwelling the lap! observed a salso fire on the outside the second floor on the Conthe ground operating of the coupants were outed to the Charlie side to eare to the Charlie side to eare the country hitting the fire in the he house. This was able to the room above the wo. During this rotation loor two. This victim was also reported the country hitting the fire in the land to the room above the wo. During this rotation loor two. This victim was also returned to the room above the wood the country was also returned to the room above the wood the country was also returned to the room above the wood the country was also returned to the room above the wood the country was also returned to the country was also returned	eported an attached garage and everyone was orted there was a column of smoke visible anal transport was added due to comments g with heavy fire coming from the garage on large volume of fire on the bravo side of the e of the main house on the bravo wall. I started tharlie side towards the delta side of the on the main body of fire in the garage. M2 was of the structure at this time. E10 arrived and extinguish the fire on the rear of the garage. fire inside the main house on floor two. Truck igh heat and zero visibility on floor two and e attack; crews on the outside E20 and M20 to attack the fire in the attic. E10 completed a regarage both of which were negative. E24 E24 officer became overheated and needed removed and care transferred to M20 and
L Remarks Local Option BC03 - Dispatch – Units were of Response – While enroute to the out of the structure. Additional from Lucks and Courthouse. Be about an occupant that had so the bravo side of the structure, house coming from the garage my lap to the delta side and ha house. I conferred with E20 an assigned RIC, E24 arrived and was assigned to extinguish the They were also reporting that the Tarrived and were assigned in high heat and moderate visibility began operating a handline to primary search on floor one ancrew was rotated and T7 crew care, T7 was conducting a second M24 for transport, during this transport, during this transport.	dispatched for reported stripe incident comments reported to some smoke inhalation but varieties as E20, BC03 dressed out and mand extending through the dassumed command. At were placed into service a car fire on the driveway a here was visible fire inside terior support on floor two by on floor one. E24 report the attic area of the main of d T7 completed a primary came out for air bottle excondary search and found a ransition it was then report on the drives on the stripe in the difference of the main of d T7 completed a primary came out for air bottle excondary search and found a ransition it was then report	ructure fire. orted there was a garage fire. porting a large amount of smarked this a working incident was refusing rescue. served a two story, wood fra ade a lap of the structure. Dure roof of the garage, there was e coming from a window on the this time E20 had a blitz fire con floor two. Per the occupant this time E20 crew took a lire the main house on floor one and told to work on a search and told to work on a search ed that they were having diffinouse from the bravo end of the search on floor 2 with except thanges, T7 returned to floor it a victim in the A/D room on fixed by the FM per the occupant	oke in the area. E20 repowhile enroute, an addition me, single family dwelling the lap! observed a salso fire on the outside the second floor on the Conthe ground operating of the cocupants were out the Charlie side to ear E24 was also reporting. Crews were reported his culty hitting the fire in the he house. This was able to the common above the control the common to the room above the control the common the common the common the common that there might be two more which is not the common that there might be two more while the control that there might be two more than the common that there might be two more than the control that there might be two more than the control that there might be two more than the control that there might be two more than the control that there might be two more than the control that there might be two more than the control that there might be two more than the control that there might be two more than the control that there is the control than the control that there is the control that the control that the control than the control that the control th	eported an attached garage and everyone was orted there was a column of smoke visible anal transport was added due to comments g with heavy fire coming from the garage on large volume of fire on the bravo side of the e of the main house on the bravo wall. I started harlie side towards the delta side of the on the main body of fire in the garage. M2 was of the structure at this time. E10 arrived and extinguish the fire on the rear of the garage. fire inside the main house on floor two. Truck igh heat and zero visibility on floor two and e attack; crews on the outside E20 and M20 to attack the fire in the attic. E10 completed a le garage both of which were negative. E24 E24 officer became overheated and needed removed and care transferred to M20 and one children unaccounted for. Additional
L Remarks Local Option BC03 - Dispatch – Units were of Response – While enroute to to out of the structure. Additional from Lucks and Courthouse. Be about an occupant that had so Arrival – BC03 arrived at the sat the bravo side of the structure. house coming from the garage my lap to the delta side and ha house. I conferred with E20 an assigned RIC, E24 arrived and was assigned to extinguish the They were also reporting that to 7 arrived and were assigned in high heat and moderate visibility began operating a handline to primary search on floor one ancrew was rotated and T7 crew care, T7 was conducting a second M24 for transport, during this transport, during this transport of the service in the servi	dispatched for reported street in the incident comments reported street in the area were record confirmed this and me smoke inhalation but varne time as E20, BC03 of BC03 dressed out and mand extending through the dasmall amount of smoked assumed command. At were placed into service car fire on the driveway a here was visible fire inside terior support on floor two by on floor one. E24 report the attic area of the main of the driveway service in the driveway and the area of the main of the driveway and the area of the main of the driveway and the area of the main of the area of the main of the driveway search and found a transition it was then report focusing on searches of the driveway on searches of the driveway of the driveway search and found a transition it was then report focusing on searches of the driveway and the drive	Apt/Sulte/Room City Fructure fire. Forted there was a garage fire, porting a large amount of smarked this a working incident was refusing rescue. For served a two story, wood framed a lap of the structure. Dute the proof of the garage, there was the coming from a window on the stime E20 had a blitz fire con floor two. Per the occupant this time E20 crew took a litter the main house on floor one and told to work on a search ed that they were having difficulties from the bravo end of the search on floor 2 with exception and to the floor of the company of the per the occupany of the floors including the room on floor the per the occupany of the floor including the room on the portions in cluding the room on the portions including the room on the per the occupany of the floors including the room on the per the occupany of the floors including the room	oke in the area. E20 repowhile enroute, an addition me, single family dwelling the lap I observed a salso fire on the outside second floor on the Conthe ground operating of the company o	eported an attached garage and everyone was orted there was a column of smoke visible anal transport was added due to comments g with heavy fire coming from the garage on large volume of fire on the bravo side of the e of the main house on the bravo wall. I started tharlie side towards the delta side of the on the main body of fire in the garage. M2 was of the structure at this time. E10 arrived and extinguish the fire on the rear of the garage. fire inside the main house on floor two. Truck igh heat and zero visibility on floor two and e attack; crews on the outside E20 and M20 to attack the fire in the attic. E10 completed a legarage both of which were negative. E24 E24 officer became overheated and needed removed and care transferred to M20 and one children unaccounted for. Additional the fire was being extinguished. The FM and
L Remarks Local Oplion BC03 - Dispatch – Units were of Response – While enroute to the structure of the str	dispatched for reported strhe incident comments repcallers in the area were record action and the smoke inhalation but varieties as E20, BC03 of BC03 dressed out and made actending through the dasmall amount of smoked assumed command. At were placed into service car fire on the driveway a here was visible fire inside terior support on floor two by on floor one. E24 report the attic area of the main and the dasmall amount of smoked assumed command. At were placed into service car fire on the driveway a here was visible fire inside terior support on floor two by on floor one. E24 report the attic area of the main and the dasmall and	Apt./Sulte/Room City Fucture fire. Forted there was a garage fire. Forted this a working incident was refusing rescue. For served a two story, wood fra ade a lap of the structure. Dule eroof of the garage, there was e coming from a window on the this time E20 had a blitz fire confloor two. Per the occupant this time E20 crew took a lire the main house on floor one and told to work on a search ed that they were having difficulties from the bravo end of the search on floor 2 with exception a victim in the A/D room on fice the floors including the roomential occupants. Extensive si	oke in the area. E20 repowhile enroute, an addition me, single family dwelling the lap I observed a salso fire on the outside ne second floor on the Conthe ground operating of the coupants were out the Charlie side to E24 was also reporting Crews were reported his culty hitting the fire in the he house. This was able ion to the room above the wo. During this rotation is not there might be two me above the garage while earches came up negative.	eported an attached garage and everyone was orted there was a column of smoke visible anal transport was added due to comments gray with heavy fire coming from the garage on large volume of fire on the bravo side of the er of the main house on the bravo wall. I started tharlie side towards the delta side of the on the main body of fire in the garage. M2 was of the structure at this time. E10 arrived and extinguish the fire on the rear of the garage. Fire inside the main house on floor two. Truck igh heat and zero visibility on floor two and attack; crews on the outside E20 and M20 to attack the fire in the attic. E10 completed a segarage both of which were negative. E24 E24 officer became overheated and needed removed and care transferred to M20 and the fire was being extinguished. The FM and ve and the FM and PD were able to make
L Remarks Local Option BC03 - Dispatch – Units were of Response – While enroute to the out of the structure. Additional from Lucks and Courthouse. Be about an occupant that had so Arrival – BC03 arrived at the set the brave side of the structure. House coming from the garage my lap to the delta side and ha house. I conferred with E20 an assigned RIC, E24 arrived and was assigned to extinguish the They were also reporting that to a rrived and were assigned in high heat and moderate visibility began operating a handline to primary search on floor one and crew was rotated and T7 crew care, T7 was conducting a second M24 for transport, during this transport, during this transport of the service PD were working with the occur contact with all parents and coil out of the service.	dispatched for reported str he incident comments rep callers in the area were re C03 confirmed this and mme smoke inhalation but vame time as E20, BC03 of BC03 dressed out and made attending through the dasmall amount of smok dassumed command. At were placed into service car fire on the driveway a here was visible fire inside terior support on floor two ty on floor one. E24 report the attic area of the main day to condary search and found ansition it was then report focusing on searches of the pant to account for all potnifirmed the other two children	ructure fire. orted there was a garage fire. porting a large amount of smarked this a working incident was refusing rescue. pserved a two story, wood fra ade a lap of the structure. Dule roof of the garage, there was e coming from a window on this time E20 had a blitz fire con floor two. Per the occupant this time E20 crew took a lire the main house on floor one and told to work on a search ed that they were having difficults from the bravo end of the search on floor 2 with exception and the floors including the roomential occupants. Extensive stren were with the parents. At	oke in the area. E20 repowhile enroute, an addition me, single family dwelling the lap I observed a salso fire on the outside the second floor on the Conthe ground operating of the company of the compa	eported an attached garage and everyone was orted there was a column of smoke visible anal transport was added due to comments ag with heavy fire coming from the garage on large volume of fire on the bravo side of the e of the main house on the bravo wall. I started harlie side towards the delta side of the on the main body of fire in the garage. M2 was of the structure at this time. E10 arrived and extinguish the fire on the rear of the garage. fire inside the main house on floor two. Truck igh heat and zero visibility on floor two and e attack; crews on the outside E20 and M20 to attack the fire in the attic. E10 completed a regarage both of which were negative. E24 E24 officer became overheated and needed removed and care transferred to M20 and ore children unaccounted for. Additional the fire was being extinguished. The FM and we and the FM and PD were able to make as marked under control. Additional searches
L Remarks Local Opilion BC03 - Dispatch – Units were of Response – While enroute to the out of the structure. Additional from Lucks and Courthouse. Be about an occupant that had so Arrival – BC03 arrived at the safethe bravo side of the structure. House coming from the garage my lap to the delta side and han house. I conferred with E20 an assigned RIC, E24 arrived and was assigned to extinguish the They were also reporting that the They were was rotated and T7 crew care, T7 was conducting a second the T7 was conducting a second to the T7 were were placed into service PD were working with the occur contact with all parents and converse conducted and the FM be	Post Office Box VA 23114 - State Zip Code dispatched for reported stree incident comments reported stree incident comments reported stree incident comments reported stree incident comments reported stree incident comment on the smoke inhalation but varietime as E20, BC03 of BC03 dressed out and mand extending through the dasmall amount of smoked assumed command. At were placed into service car fire on the driveway a here was visible fire inside terior support on floor two by on floor one. E24 report the attic area of the main of the attic area of the main of the company search and found can sition it was then report focusing on searches of the pant to account for all potentifirmed the other two childs and the investigation process.	ructure fire. orted there was a garage fire. porting a large amount of sm arked this a working incident vas refusing rescue. oserved a two story, wood fra ade a lap of the structure. Dur e roof of the garage, there wa e coming from a window on the structure on floor two. Per the occupant this time E20 rhad a bitz fire of the main house on floor one and told to work on a search and that they were having difficult of the search on floor 2 with except thanges, T7 returned to floor a victim in the A/D room on floed by the FM per the occupanoth floors including the room ential occupants. Extensive si tren were with the parents. At thess. Overhaul was completer	oke in the area. E20 repowhile enroute, an addition me, single family dwelling the lap I observed a salso fire on the outside ne second floor on the Conthe ground operating of tall occupants were out to the Charlie side to earlie s	eported an attached garage and everyone was orted there was a column of smoke visible anal transport was added due to comments ag with heavy fire coming from the garage on large volume of fire on the bravo side of the e of the main house on the bravo wall. I started harlie side towards the delta side of the on the main body of fire in the garage. M2 was of the structure at this time. E10 arrived and extinguish the fire on the rear of the garage. fire inside the main house on floor two. Truck igh heat and zero visibility on floor two and e attack; crews on the outside E20 and M20 to attack the fire in the attic. E10 completed a legarage both of which were negative. E24 E24 officer became overheated and needed removed and care transferred to M20 and one children unaccounted for. Additional the fire was being extinguished. The FM and we and the FM and PD were able to make as marked under control. Additional searches e FM until they were completed and
Remarks Local Opilion BC03 - Dispatch – Units were of Response – While enroute to the out of the structure. Additional from Lucks and Courthouse. Be about an occupant that had so Arrival – BC03 arrived at the safethe bravo side of the structure. House coming from the garage my lap to the delta side and han house. I conferred with E20 an assigned RIC, E24 arrived and was assigned to extinguish the They were also reporting that to a rrived and were assigned in high heat and moderate visibility began operating a handline to primary search on floor one ancrew was rotated and T7 crew care, T7 was conducting a second M24 for transport, during this transport, during this transport were working with the occur contact with all parents and collected and the FM be extensive overhaul completed.	dispatched for reported street in the area were record are smoke inhalation but vame time as E20, BC03 of BC03 dressed out and many and extending through the dasmall amount of smoke assumed command. At were placed into service a car fire on the driveway a here was visible fire inside terior support on floor two ty on floor one. E24 report the attic area of the main to day to another the attic area of the main to day to another the attic area of the main to day to another the attic area of the main to day the attic area of the main to day to another the attic area of the main to day to another the attic area of the main to day the attic area of the main to account for all potential to account for all potential the other two children the structure. Crews we are the attic area of the pant to account for all potential the attic.	ructure fire. orted there was a garage fire. porting a large amount of sm arked this a working incident vas refusing rescue. oserved a two story, wood fra ade a lap of the structure. Dur e roof of the garage, there wa e coming from a window on the structure on floor two. Per the occupant this time E20 rhad a bitz fire of the main house on floor one and told to work on a search and that they were having difficult of the search on floor 2 with except thanges, T7 returned to floor a victim in the A/D room on floed by the FM per the occupanoth floors including the room ential occupants. Extensive si tren were with the parents. At thess. Overhaul was completer	oke in the area. E20 repowhile enroute, an addition me, single family dwelling the lap I observed a salso fire on the outside ne second floor on the Conthe ground operating of tall occupants were out to the Charlie side to earlie s	eported an attached garage and everyone was orted there was a column of smoke visible anal transport was added due to comments ag with heavy fire coming from the garage on large volume of fire on the bravo side of the e of the main house on the bravo wall. I started harlie side towards the delta side of the on the main body of fire in the garage. M2 was of the structure at this time. E10 arrived and extinguish the fire on the rear of the garage. fire inside the main house on floor two. Truck igh heat and zero visibility on floor two and e attack; crews on the outside E20 and M20 to attack the fire in the attic. E10 completed a regarage both of which were negative. E24 E24 officer became overheated and needed removed and care transferred to M20 and ore children unaccounted for. Additional the fire was being extinguished. The FM and we and the FM and PD were able to make as marked under control. Additional searches
L Remarks Local Opilion BC03 - Dispatch – Units were of Response – While enroute to the out of the structure. Additional from Lucks and Courthouse. Be about an occupant that had so Arrival – BC03 arrived at the safethe bravo side of the structure. House coming from the garage my lap to the delta side and han house. I conferred with E20 an assigned RIC, E24 arrived and was assigned to extinguish the They were also reporting that the They were was rotated and T7 crew care, T7 was conducting a second the T7 was conducting a second to the T7 were were placed into service PD were working with the occur contact with all parents and converse conducted and the FM be	dispatched for reported street in the area were record are smoke inhalation but vame time as E20, BC03 of BC03 dressed out and many and extending through the dasmall amount of smoke assumed command. At were placed into service a car fire on the driveway a here was visible fire inside terior support on floor two ty on floor one. E24 report the attic area of the main to day to another the attic area of the main to day to another the attic area of the main to day to another the attic area of the main to day the attic area of the main to day to another the attic area of the main to day to another the attic area of the main to day the attic area of the main to account for all potential to account for all potential the other two children the structure. Crews we are the attic area of the pant to account for all potential the attic.	ructure fire. orted there was a garage fire. porting a large amount of sm arked this a working incident vas refusing rescue. oserved a two story, wood fra ade a lap of the structure. Dur e roof of the garage, there wa e coming from a window on the structure on floor two. Per the occupant this time E20 rhad a bitz fire of the main house on floor one and told to work on a search and that they were having difficult of the search on floor 2 with except thanges, T7 returned to floor a victim in the A/D room on floed by the FM per the occupanoth floors including the room ential occupants. Extensive si tren were with the parents. At thess. Overhaul was completer	oke in the area. E20 repowhile enroute, an addition me, single family dwelling the lap I observed a salso fire on the outside ne second floor on the Conthe ground operating of tall occupants were out to the Charlie side to earlie s	eported an attached garage and everyone was orted there was a column of smoke visible anal transport was added due to comments ag with heavy fire coming from the garage on large volume of fire on the bravo side of the e of the main house on the bravo wall. I started harlie side towards the delta side of the on the main body of fire in the garage. M2 was of the structure at this time. E10 arrived and extinguish the fire on the rear of the garage. fire inside the main house on floor two. Truck igh heat and zero visibility on floor two and e attack; crews on the outside E20 and M20 to attack the fire in the attic. E10 completed a legarage both of which were negative. E24 E24 officer became overheated and needed removed and care transferred to M20 and one children unaccounted for. Additional the fire was being extinguished. The FM and we and the FM and PD were able to make as marked under control. Additional searches e FM until they were completed and
L Remarks Local Oplion BC03 - Dispatch — Units were of Response — While enroute to all from Lucks and Courthouse. Be about an occupant that had so Arrival — BC03 arrived at the set the bravo side of the structure. house coming from the garage my lap to the delta side and ha house. I conferred with E20 an assigned RIC, E24 arrived and was assigned to extinguish the They were also reporting that to a rrived and were assigned in high heat and moderate visibility began operating a handline to primary search on floor one ancrew was rotated and T7 crew care, T7 was conducting a second at the second and the second and the second and the second and the FM be extensive overhaul completed the explanation to not enter the	dispatched for reported street in the area were record are smoke inhalation but vame time as E20, BC03 of BC03 dressed out and many and extending through the dasmall amount of smoke assumed command. At were placed into service a car fire on the driveway a here was visible fire inside terior support on floor two ty on floor one. E24 report the attic area of the main to day to another the attic area of the main to day to another the attic area of the main to day to another the attic area of the main to day the attic area of the main to day to another the attic area of the main to day to another the attic area of the main to day the attic area of the main to account for all potential to account for all potential the other two children the structure. Crews we are the attic area of the pant to account for all potential the attic.	ructure fire. orted there was a garage fire. porting a large amount of sm arked this a working incident vas refusing rescue. oserved a two story, wood fra ade a lap of the structure. Dur e roof of the garage, there wa e coming from a window on the structure on floor two. Per the occupant this time E20 rhad a bitz fire of the main house on floor one and told to work on a search and that they were having difficult of the search on floor 2 with except thanges, T7 returned to floor a victim in the A/D room on floed by the FM per the occupanoth floors including the room ential occupants. Extensive si tren were with the parents. At thess. Overhaul was completer	oke in the area. E20 repowhile enroute, an addition me, single family dwelling the lap I observed a salso fire on the outside ne second floor on the Conthe ground operating of tall occupants were out to the Charlie side to earlie s	eported an attached garage and everyone was orted there was a column of smoke visible anal transport was added due to comments ag with heavy fire coming from the garage on large volume of fire on the bravo side of the e of the main house on the bravo wall. I started harlie side towards the delta side of the on the main body of fire in the garage. M2 was of the structure at this time. E10 arrived and extinguish the fire on the rear of the garage. fire inside the main house on floor two. Truck igh heat and zero visibility on floor two and e attack; crews on the outside E20 and M20 to attack the fire in the attic. E10 completed a legarage both of which were negative. E24 E24 officer became overheated and needed removed and care transferred to M20 and one children unaccounted for. Additional the fire was being extinguished. The FM and we and the FM and PD were able to make as marked under control. Additional searches e FM until they were completed and
Remarks Local Opilion BC03 - Dispatch – Units were of Response – While enroute to the out of the structure. Additional from Lucks and Courthouse. Be about an occupant that had so Arrival – BC03 arrived at the safethe bravo side of the structure. House coming from the garage my lap to the delta side and han house. I conferred with E20 an assigned RIC, E24 arrived and was assigned to extinguish the They were also reporting that to a rrived and were assigned in high heat and moderate visibility began operating a handline to primary search on floor one ancrew was rotated and T7 crew care, T7 was conducting a second M24 for transport, during this transport, during this transport were working with the occur contact with all parents and collected and the FM be extensive overhaul completed.	dispatched for reported street in the area were record are smoke inhalation but vame time as E20, BC03 of BC03 dressed out and many and extending through the dasmall amount of smoke assumed command. At were placed into service a car fire on the driveway a here was visible fire inside terior support on floor two ty on floor one. E24 report the attic area of the main to day to another the attic area of the main to day to another the attic area of the main to day to another the attic area of the main to day the attic area of the main to day to another the attic area of the main to day to another the attic area of the main to day the attic area of the main to account for all potential to account for all potential the other two children the structure. Crews we are the attic area of the pant to account for all potential the attic.	ructure fire. orted there was a garage fire. porting a large amount of sm arked this a working incident vas refusing rescue. oserved a two story, wood fra ade a lap of the structure. Dur e roof of the garage, there wa e coming from a window on the structure on floor two. Per the occupant this time E20 rhad a bitz fire of the main house on floor one and told to work on a search and that they were having difficult of the search on floor 2 with except thanges, T7 returned to floor a victim in the A/D room on floed by the FM per the occupanoth floors including the room ential occupants. Extensive si tren were with the parents. At thess. Overhaul was completer	oke in the area. E20 repowhile enroute, an addition me, single family dwelling the lap I observed a salso fire on the outside ne second floor on the Conthe ground operating of tall occupants were out to the Charlie side to each the total of the house. This was able ton to the room above the wo. During this rotation I wort two. This victim was not there might be two me above the garage while this time the incident was with the oversight of the single side of the corrections.	eported an attached garage and everyone was orted there was a column of smoke visible anal transport was added due to comments ag with heavy fire coming from the garage on large volume of fire on the bravo side of the e of the main house on the bravo wall. I started harlie side towards the delta side of the on the main body of fire in the garage. M2 was of the structure at this time. E10 arrived and extinguish the fire on the rear of the garage. fire inside the main house on floor two. Truck igh heat and zero visibility on floor two and e attack; crews on the outside E20 and M20 to attack the fire in the attic. E10 completed a legarage both of which were negative. E24 E24 officer became overheated and needed removed and care transferred to M20 and one children unaccounted for. Additional the fire was being extinguished. The FM and we and the FM and PD were able to make as marked under control. Additional searches e FM until they were completed and
L Remarks Local Opilion BC03 - Dispatch – Units were of Response – While enroute to the out of the structure. Additional from Lucks and Courthouse. Be about an occupant that had so Arrival – BC03 arrived at the safethe bravo side of the structure. House coming from the garage my lap to the delta side and ha house. I conferred with E20 an assigned RIC, E24 arrived and was assigned to extinguish the They were also reporting that the They were partially and they was rotated and T7 crew care, T7 was conducting a seconducting a seconducting and the They were conducted and the FM be extensive overhaul completed the explanation to not enter the Mathematical PM Authorization	Post Office Box VA 23114 - State Zip Code dispatched for reported street in the area were recorded in the area was were placed into service a car fire on the driveway a here was visible fire inside terior support on floor two ty on floor one. E24 report the attic area of the main of the area out for air bottle excondary search and found a ransition it was then report focusing on searches of the pant to account for all potential in the investigation procorded in the structure. Crews we room above the garage.	ructure fire. orted there was a garage fire. porting a large amount of smarked this a working incident was refusing rescue. soserved a two story, wood fra ade a lap of the structure. Dute roof of the garage, there was e coming from a window on the this time E20 had a blitz fire confloor two. Per the occupant this time E20 crew took a limit the main house on floor one and told to work on a search ed that they were having diffinouse from the bravo end of the search on floor 2 with except thanges, T7 returned to floor a victim in the A/D room on flowed by the FM per the occupant of the promote of the search on floors including the roomential occupants. Extensive surer were with the parents. At theses. Overhaul was completed are returned to service as the	oke in the area. E20 repowhile enroute, an additione, single family dwelling the lap! observed a salso fire on the outside the second floor on the Conthe ground operating of the lag occupants were outed to the Charlie side to earlie to the room above the board to the room above the wo. During this rotation for two. This victim was not there might be two most above the garage while earches came up negative this time the incident workload warranted. The	eported an attached garage and everyone was orted there was a column of smoke visible anal transport was added due to comments ag with heavy fire coming from the garage on large volume of fire on the bravo side of the e of the main house on the bravo wall. I started harlie side towards the delta side of the on the main body of fire in the garage. M2 was of the structure at this time. E10 arrived and extinguish the fire on the rear of the garage. fire inside the main house on floor two. Truck igh heat and zero visibility on floor two and e attack; crews on the outside E20 and M20 to attack the fire in the attic. E10 completed a legarage both of which were negative. E24 E24 officer became overheated and needed removed and care transferred to M20 and one children unaccounted for. Additional the fire was being extinguished. The FM and we and the FM and PD were able to make as marked under control. Additional searches e FM until they were completed and
L Remarks Local Option BC03 - Dispatch – Units were of Response – While enroute to the out of the structure. Additional from Lucks and Courthouse. B about an occupant that had so Arrival – BC03 arrived at the sate the bravo side of the structure. House coming from the garage my lap to the delta side and ha house. I conferred with E20 an assigned RIC, E24 arrived and was assigned to extinguish the They were also reporting that the primary search on floor one and crew was rotated and T7 crew care, T7 was conducting a second the They were conducted and the FM be extensive overhaul completed the explanation to not enter the Mathematical PM Authorization	dispatched for reported street in the area were record are smoke inhalation but vame time as E20, BC03 of BC03 dressed out and many and extending through the dasmall amount of smoke assumed command. At were placed into service a car fire on the driveway a here was visible fire inside terior support on floor two ty on floor one. E24 report the attic area of the main to day to another the attic area of the main to day to another the attic area of the main to day to another the attic area of the main to day the attic area of the main to day to another the attic area of the main to day to another the attic area of the main to day the attic area of the main to account for all potential to account for all potential the other two children the structure. Crews we are the attic area of the pant to account for all potential the attic.	ructure fire. orted there was a garage fire. porting a large amount of smarked this a working incident was refusing rescue. served a two story, wood fra ade a lap of the structure. Dure roof of the garage, there was e coming from a window on this time E20 had a blitz fire confloor two. Per the occupant this time E20 crew took a lire the main house on floor one and told to work on a search ed that they were having diffinouse from the bravo end of the search on floor 2 with except thanges, T7 returned to floor a victim in the A/D room on flowed by the FM per the occupant of the parents. At least, Overhaul was completed a victim were with the parents. At least, Overhaul was completed are returned to service as the	oke in the area. E20 repowhile enroute, an additione, single family dwelling the lap! observed a salso fire on the outside the second floor on the Conthe ground operating of the lag occupants were outed to the Charlie side to earlie to the room above the board to the room above the wo. During this rotation for two. This victim was not there might be two most above the garage while earches came up negative this time the incident workload warranted. The	eported an attached garage and everyone was orted there was a column of smoke visible anal transport was added due to comments and we will be a considered to the garage on large volume of fire on the bravo side of the experience of the main house on the bravo wall. I started tharlie side towards the delta side of the continuous of the structure at this time. E10 arrived and extinguish the fire on the rear of the garage. The fire inside the main house on floor two. Truck igh heat and zero visibility on floor two and the attack; crews on the outside E20 and M20 to attack the fire in the attic. E10 completed a legarage both of which were negative. E24 E24 officer became overheated and needed removed and care transferred to M20 and one children unaccounted for. Additional the fire was being extinguished. The FM and we and the FM and PD were able to make as marked under control. Additional searches the FM until they were completed and the structure was turned over to the owner with
L Remarks Local Option BC03 - Dispatch — Units were of Response — While enroute to the out of the structure. Additional from Lucks and Courthouse. Be about an occupant that had so the Arrival — BC03 arrived at the set the brave side of the structure. House coming from the garage my lap to the delta side and ha house. I conferred with E20 an assigned RIC, E24 arrived and was assigned to extinguish the They were also reporting that the They were also reporting that the They were also reporting that the They arrived and were assigned in high heat and moderate visibility began operating a handline to primary search on floor one and crew was rotated and T7 crew care, T7 was conducting a see M24 for transport, during this crews were placed into service PD were working with the occupant with all parents and converse conducted and the FM be extensive overhaul completed the explanation to not enter the Mathematical Multiple Conficer in charge ID Mathematical WILLIAT Signature WILLIAT Signature	Post Office Box VA 23114 - State Zip Code dispatched for reported street in the area were recorded in the area was were placed into service a car fire on the driveway a here was visible fire inside terior support on floor two ty on floor one. E24 report the attic area of the main of the area out for air bottle excondary search and found a ransition it was then report focusing on searches of the pant to account for all potential in the investigation procorded in the structure. Crews we room above the garage.	ructure fire. orted there was a garage fire. porting a large amount of smarked this a working incident was refusing rescue. served a two story, wood fra ade a lap of the structure. Dure roof of the garage, there was e coming from a window on this time E20 had a blitz fire confloor two. Per the occupant this time E20 crew took a lire the main house on floor one and told to work on a search ed that they were having diffinouse from the bravo end of the search on floor 2 with except thanges, T7 returned to floor the victim in the A/D room on flood by the FM per the occupant of the parents. At the sess. Overhaul was completed a victim and the parents. At the server were with the parents. At the server returned to service as the server captain.	oke in the area. E20 repowhile enroute, an addition me, single family dwelling the lap I observed a salso fire on the outside ne second floor on the Conthe ground operating of the cocupants were outed to the Charlie side to the Charlie side to the Charlie side to the E24 was also reporting Crews were reported his culty hitting the fire in the ne house. This was able ion to the room above the wo. During this rotation has been to the charlies will be two more above the garage while earches came up negative this time the incident was divinity the oversight of the workload warranted. The nament	eported an attached garage and everyone was orted there was a column of smoke visible anal transport was added due to comments and we will be a considered to the garage on large volume of fire on the bravo side of the experience of the main house on the bravo wall. I started tharlie side towards the delta side of the continuous of the structure at this time. E10 arrived and extinguish the fire on the rear of the garage. The fire inside the main house on floor two. Truck igh heat and zero visibility on floor two and the attack; crews on the outside E20 and M20 to attack the fire in the attic. E10 completed a legarage both of which were negative. E24 E24 officer became overheated and needed removed and care transferred to M20 and one children unaccounted for. Additional the fire was being extinguished. The FM and we and the FM and PD were able to make as marked under control. Additional searches the FM until they were completed and the structure was turned over to the owner with



A	04100 VA 10 21 2014 FDID State Incident Date	20 FFR141021030752	0 NFIRS-3 Structure Fire
2 3	If fire was in an enclosed building or a portable/mobile structure, complete the rest of this form. Structure type, other	Building Status Building status, other Under construction In normal use Idle, not routinely used Under major renovation Vacant and secured Vacant and unsecured Being demolished Undetermined	of the hightest story, Total square feet OR Length in feet Width in feet
J1 J2 1 2 3 4 5		mber of Stories Damaged by Flame In the roof as part of the highest story. (1 to 24% flame damage) Number of stories w/significant damag (25 to 49% flame damage) Number of stories w/significant damag (55 to 74% flame damage) Number of stories w/sexy damag (50 to 74% flame damage) Number of stories w/extreme damag (75 to 100% flame damage)	Type of Material Contributing Most to Flame Spread Check if no flame spread OR if same as Material First ignited (Block D4, Fire Module) OR if unable to determine. K1 Item contributing most to flame spread K2 Type of material contributing Required only if item contributing code is 00 or <70
L1 1 X U L2 0 1 X 2 3 4 5 U	Presence of Detectors (In area of the fire) Present None present Undetermined Detector Type Detector type, other Smoke Heat Combination smoke and heat in a single unit Sprinkler, water flow detection More than one type present Undetermined	L3 Detector Power Supply 0 Detector power supply, other 1 X Battery only 2 Hardwire only 3 Plug-in 4 Hardwire with battery backup 5 Plug-in with battery backup 6 Mechanical 7 Multiple detectors and power supplies U Undetermined L4 Detector Operation 1 Fire too small to activate detector 2 Detector operated 3 X Detector failed to operate U Undetermined	Detector Effectiveness Required if detector operated Detector alerted occupants, occupants responded Detector alerted occupants, occupants failed to respond There were no occupants Detector failed to alert occupants Undetermined Detector Failure Reason Required if detector failed to operate Detector failure, hardwired det. shut off, disconnect Improper installation or placement of detector Defective detector Lack of maintenance, includes not cleaning Battery missing or disconnected Battery discharged or dead Undetermined
M1 1 2 N X U M2 0 1 2 3 4 5 6 7 U	Presence of Automatic Extinguishing System Present Partial System Present None Present Undetermined Type of Automatic Extinguishing System Required If fire was within designed range of AES Special hazard system, other Wet-pipe sprinkler system Dry-pipe sprinkler system Other sprinkler system Dry chemical system Foam system Halogen-type system Carbon dioxide system Undetermined	M3 Operation of Automatic Extinguishing System Required if fire was within designed range Operation of AES, other System operated and was effective System operated and was not effective Fire too small to activate system System did not operate Undetermined M3 Number of Sprinkler Heads Operating Required if system operated Number of sprinkler heads operating	Reason for Automatic Extingulshing System Fallure Required if system fallure or not effective Reason system not effective, other System shut off Not enough agent discharged to control the fire Agent discharged, but did not reach the fire Inappropriate system for the type of fire Fire not in area protected by the system System components damaged Lack of maintenance, including corrosion or heads painted Manual intervention defeated the system Undetermined

Additional Remarks

Local Option

E2 arrived onscene, per command E2 searched the second floor for possible victims. E2 completed the search on floor 2, no victims found and exited the building. E2 was then assigned to overhaul floor 2 and search for fire extension. E2's crew came out for rehab then assisted other units in packing hose. E2 was released from the incident. E2 went inservice.

E20 was dispatched and responded to above incident with three personnel. Comments on the MDC and from the ECC while enroute stated all occupants were out of the structure which was a daycare being run in a single family dwelling. Shortly after marking enroute a column of smoke was visible in the vicinity of the incident and E20 announced this on the radio to all incoming units. E20 also announced the hydrant we would be laying in from at this time. E20 arrived on scene at the hydrant and a crowd of 10-15 people had gathered on the corner of the incident street. E20 proceeded to the incident address and found a two story, wood framed, single family dwelling with heavy fire coming from the attached garage on the Alpha side of the structure. There was nobody near the fire building or in the immediate area. E20 staged in a driveway two addresses to the left of the fire building. E20 JS FF deployed a bliztfire monitor to the driveway on side Alpha of the fire building while E20 OIC assumed command and made a lap of the building. At this time the fire appeared to be mostly contained to the garage. E20 JS FF and E20 OIC met back up on side Alpha and flowed water on the fire in the garage. BC03 arrived on scene and assumed command. E20 continued to flow water into the garage until a good knockdown was achieved. Command instructed E20 to deploy a handline to side Charlie to knock down fire that was on the exterior of the building. E20 deployed a gatedown line to side Charlie and extinguished the exterior fire. E20 OIC also communicated to command about a fire in the kitchen area on side Charlie so a unit could be deployed to that area. E20 repositioned to side Alpha to switch SCBA cylinders. At this time, T7 removed a victim from the structure and E20 was assigned to do a secondary search of the first and second floor. E20 completed this assignment and entered rehab with other units. E20 was assigned salvage and overhaul with other units on the first and second floors. E20 completed this assignment and cleard the scne.

M20 was dispatched for a structure fire.

Upon arrival a large column of smoke was visible and the attached garage was fully involved.

Actions taken:

Made the hydrant connection for E20 and charged the hydrant.

Assigned RIC by command

Made a lap and saw fire on the alpha, bravo, and charlie side of the structure.

Placed RIC line in service

Placed a ladder in the rescue position on alpha side alpha delta corner second floor window.

Utilized the RIC line from the exterior to apply water to the bravo side of the garage and to the vehicle that was still burning in the driveway while crews worked on the interior.

Once fire had been knocked down we relocated to the front of the house.

controlled water utilities by shutting off valve in front of the house.

A victim was located on the second floor and was removed from the house.

M20 took over patient care and transported patient immediately to st francis er.

see pcr for details

M20 returned to the scene and assisted with overhaul on the second floor and in the kitchen on the first floor.

Assisted in picking up attack and supply lines and cleared the scene.

M2 was dispatched for a patient at the scene of the fire incident.

M2 transported patient and cleared assignment.

E24 - On scene assisted with Fire suppression and search on floor 2. 1 Firefighter from E24 sent to hospital for further evaluation. personnel assisted with transport of victim. E24 crew assisted with Overhaul

E4 responded to above incident priority three. Once on scene reported to command. Given the assignment to assist in additional search of the second floor for possible victims, and check for any additional hot spots. No victims found upon completion of our search. Overhauled the upstairs bonus room over the garage and checked for extension with none found. Assisted in repacking hose lines. Once complete Engine 4 was cleared and inservice.

E10- E10 was dispatched to the above address for a structure fire. E10 arrived as the third in engine and was immediately assigned to extinguish the car that had caught fire in the driveway as an exposure from the residential structure fire. Once car fire was extinguished, E10 was given the assignment for fire attack 1st floor. Personnel extinguished the fire starting from the hallway into the kitchen. Kitchen Ceiling drywall and insulation was pulled to check for extensions. Conditions improved very quickly. One crew member had his low air alarm starting to go off and exited the structure. At that time the rest of E10 personnel exited the structure and staged exterior Alpha Bravo area of the yard. All air bottles of personnel were changed out, and E10 was reassigned RIC. While assigned RIC, personnel pulled away some vinyl siding and insulation from the Alpha/Bravo corner of the structure(garage area) to extinguish some hot spots. Crew remained on stand by as RIC for a few minutes before being reassigned to the 2nd floor for searching. Personnel started with the room over the garage area and worked their way back down the hallway. No victims were found. Crew was ordered to exit the structure and went into rehab. After a few minutes in rehab, E10 was reassigned RIC again due to Fire Marshall's, TSO, DSO, and other personnel throughout the building. Bottles were replaced for a 2nd time during this assignment. After another handful of minutes, Incident Command asked all officers to assemble in the next door neighbor driveway for a small meeting. After meeting briefing, E10 personnel were ordered to gather all equipment that came off E10 to go back on, and start the back in service.

M16 was dispatched to a structure fire. M16 arrived and was assigned to establish a rehab area. A rehab area was established in a yard adjacent to the command post. M16 was then cleared by command.

T7 - Dispatch Information: Dispatched as the Truck Company to a structure fire in Station 20's area.

Received multiple updates prior to arrival identifying this as a working incident and this house was used as a day care. BC03 marked it a working incident prior to any unit's arrival.

On Scene Information: Arrived to a two story wood framed single family dwelling with fire in the attached garage and spreading into the main part of the house. The home owner stated that all occupants were accounted for.

Actions Performed: Assignment was interior support on floor two. We entered the structure and once on the stairs we followed the hand line to Engine 24's crew operating on floor two. They were applying water to the fire and needed assistance gaining access to the fire that was above us. We started pulling ceiling and there was plywood on the floor in the attic preventing our access. There was zero visibility with moderate heat conditions found on floor two. Truck 7's operator placed a ladder on alpha and two ladders on charley side of the structure along with controlling the gas on delta. He also placed a fan at the front door for positive pressure. He established an area for forced air decontamination and rehab.

Engine 24 stated the bravo side of the structure was already searched. Truck 7 started a primary search in the alpha / delta room. We started a right hand search and when we came back to the door we met Engine 24 and noted the heat conditions were getting worse in this room. The ceiling was pulled then water applied and the heat conditions approved. Truck 7 continued the search of this room. We moved into the hall and continued a right hand search but did not search the room above the garage due to conditions. Truck 7 then exited the structure due to low air.

Truck 7 changed air bottles and entered the structure to conduct a secondary search on floor two. We entered the room on the alpha/delta corner to start our search, and due to ventilation the conditions had improved on floor two. We started a right hand search and immediately found a car seat/carrier upside down, when turned over a child was found strapped in. Notifications were made over the radio and child was removed from the car seat / carrier and quickly removed from the structure. Compressions were started in the front yard then Medic 20 quickly assumed patient care and transported child.

After a few minutes we were asked if we were able to re-enter and complete the secondary search, we are now receiving information that there may still be two children unaccounted for. We went to floor two and started the secondary search with no other individual found. We finished the secondary as our low air alarms went off and we exited the structure. Several other units conducted a secondary on floor two while we were outside.

At this point all children were accounted for and the fire marshals were conducting an investigation. After the investigation we overhauled the kitchen area and checked the structure for any remaining hot spots.

Disposition: See first in report.

FM6 assisted FM5 with investigation of fire.

I arrived on scene, checked in with FM5 and did a lap of the incident. As I was returning back to FM5, I observed a FF in distress, I stopped to assist at which point I heard that a victim was located. I met crews at the front yard, went with crews to the back of a medic unit and rendered care until the unit was ready to go to hospital.

From the ambulance I went directly to the daycare owner to find out exactly how many kids were in her care. At first she was sure that she was only taking care of 7. We informed her that with the child that was transported to the hospital we counted 8 children. I had her write a list of all the kids and we found paperwork that listed all the kids in her care. Between the paperwork and her list we counted 10 children. IC was notified of the possibility of 2 additional missing kids.

CPD and the FM Office continued to work on accounting for the kids and after about an hour we were able to determine that 2 of the kids did not show up to daycare today.

The daycare was responsible for 8 kids today and we have accounted for all 8 kids.

From this point forward I acted as the liaison between the owner and the investigators.

E16 dispatched for the working incident engine on a residential structure fire.

E16 staged on the street behind the residence on fire, While walking to the scene command asked us to confirm with the homeowner that everyone was out. I talked with the homeowner and she reported, twice that everyone was out. I then asked about animals and she reported that she had two cats that where still inside. I reported this to command face to face.

E16's crew assisted E10 with advancing a 1 3/4 handline through the front door as well as taking over the blitz fire monitor. There was still a small amount of fire on the Bravo Charlie corner of the garage and we completed the extinguishment with the blitz fire. E16 was then assigned to take over on floor two fire attack when E24 needed relief. When E24 came out the front door we followed the handline up to the second floor and to the Bravo side of the structure, the fire was located on the Bravo side garage area and extended into the room above and attic area. The fire had been about 80% extinguished and we continued as well as pulling sheet rock from the wall and ceiling cooling hot spots as found. During this time we found a cat which was located in a room on the Charlie side we wrapped it in a small blanket and placed by a tree on the Alpha Delta corner. We also pulled wall on the Alpha side bedroom adjacent to the fire area. When our air bell starting ringing we exited the building. During our time upstairs, a victim was found and taken to the hospital. While we where outside, changing bottles, We where told by command to hurry and change bottles and be ready to go back inside due to another possible victim. E16's crew returned to the first floor and searched again and found no victim. We returned outside to rehab and awaited another assignment. After a lengthy wait we where told we would be needed later and we assisted packing hose. We then assisted FM8 with cleaning out the garage area for her investigation. After this was completed we returned to service.